

Amendment to the Claims:

The listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1-18. (Cancelled)

19. (Currently Amended) A display arrangement ~~for holding~~ including a liquid crystal display comprising a window which covers the liquid crystal display to provide protection thereof and for holding the liquid crystal display in a position relative to a housing including first and second housing parts comprising:

an elastic part located between the liquid crystal display and the second housing part and including a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface, a cavity located between a periphery of the liquid crystal display and the first housing part, and an adhesive member applied along a periphery of a bottom surface of the liquid crystal display which attaches the liquid crystal display to the housing; and wherein

the first housing part covers the periphery and the bottom surface of the liquid crystal display and the second housing part covers a periphery of a top surface of the liquid crystal display.

20. (Previously presented) A display arrangement according to claim 19 wherein:

the elastic part surrounds an inner periphery of the second housing part.

21. (Currently Amended) A display arrangement according to claim 20 wherein:

the elastic part is flexible and is located on the second housing part to provide pressure on the liquid crystal display and provide a dust-proof seal between the window of liquid crystal display and the housing.

22. (Currently Amended) A display arrangement according to claim 19 comprising:

a side connector to ~~the~~ a printed circuit board located on a side of the liquid crystal display.

23. (Currently Amended) A display arrangement according to claim 20 comprising:

a side connector to ~~the~~ a printed circuit board located on a side of the liquid crystal display.

24. (Currently Amended) A display arrangement according to claim 21 comprising:

a side connector to ~~the~~ a printed circuit board located on a side of the liquid crystal display.

25. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 19.

26. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 20.

27. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 21.

28. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 22.

29. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 23.

30. (Previously Presented) A communication terminal, comprising:
a display arrangement according to claim 24.

31. (Currently Amended) A method for arranging a liquid crystal display including a window which covers the liquid crystal display to provide protection thereof in relation to a housing including first and second housing parts in an electronic equipment comprising:

applying an adhesive member along a periphery of a bottom surface of the liquid crystal display and attaching the liquid crystal display with the adhesive member to the first housing part, mounting the second housing part to cover a periphery of a top surface of the liquid crystal display with an elastic member located between the second part and a top surface of the liquid crystal display which includes a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface and wherein the elastic member establishes a pressure on the top surface of the liquid crystal display which retains the relative position between the liquid crystal display and the housing parts.

32. (Currently Amended) A method for establishing a flexible display arrangement, comprising:

attaching a liquid crystal display, including a window which covers the liquid crystal display to provide protection thereof, to a housing including first and second housing parts wherein the first housing part covers a periphery of the liquid crystal display and a bottom surface of the liquid crystal display and the second housing part covers a periphery of a top surface of the liquid crystal display with an adhesive member located along a periphery of the bottom surface of the liquid

crystal display with the housing including a cavity located between side walls of the housing and a side periphery of the liquid crystal display; and

applying an elastic member between a top surface of the liquid crystal display and the second part of the housing including a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface.

33. (Previously Presented) A method according to claim 32 wherein:

the liquid crystal display is attached to a first housing part with the adhesive member, and the second housing part and the elastic member surrounds an inner periphery of the second housing part with the elastic member applying a retaining force on a top surface of the liquid crystal display.

Amendments to the Drawings:

Submitted herewith are replacement drawings including the addition of reference numeral 3' to Figs. 1, 4 and 5 and to identify the protection window 3' referred to in the text in paragraphs [0017] and [0028] as amended. The replacement drawings are based upon the original disclosure of the application as filed.